

L Number	Hits	Search Text	DB	Time stamp
-	0	10/055636	USPAT; US-PGPUB	2003/06/16 10:40
-	4	("4479112" "3587051" "3893073" "5928364").pn.	USPAT; US-PGPUB	2003/06/16 10:42
-	2	GB-2075671-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/16 10:46
-	2	EP-863491-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/16 10:46
-	2	GB-2281838-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/16 10:47
-	10	("5402109" "5325133" "4953111" "5410376" "5367315").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/16 13:59
-	111	(optical with controller) and (lights with color) and (pulses with light) and processor and memory and compar\$3 and signal	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/25 14:56
-	1	((optical with controller) and (lights with color) and (pulses with light) and processor and memory and compar\$3 and signal) and LED and wavelength and (optical with filter) and (light with sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 10:11
-	0	(optical with controller) and (lights with color) and (pulses with light) and processor and memory and compar\$3 and signal and eyepiece and LED and (optical with filter) and (light with sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/25 15:14
-	0	(optical with controller) and (lights with color) and (pulses with light) and processor and memory and compar\$3 and signal and eyepiece and LED and (optical with filter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/16 14:10
-	0	(optical with controller) and (lights with color) and (pulses with light) and processor and memory and compar\$3 and signal and (eyepiece or (eye with piece)) and (electronic with lock\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/16 14:15
-	14	("4479112" "3587051" "3893073" "5928364").pn.) or GB-2075671-\$.did. or EP-863491-\$.did. or GB-2281838-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/18 18:18
-	0	(lights with color) and (monitor\$3 with eye with user) and compar\$3 and (control\$4 with signal) and (random with sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/16 14:19
-	3	(lights with color) and (monitor\$3 with eye) and compar\$3 and (control\$4 with signal) and (random with sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/16 14:20
-	0	((lights with color) and (monitor\$3 with eye) and compar\$3 and (control\$4 with signal) and (random with sequence)) and (light with emit)) and (puls\$3 with light)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/16 14:21
-	0	((lights with color) and (monitor\$3 with eye) and compar\$3 and (control\$4 with signal) and (random with sequence)) and (puls\$3 with light)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/16 14:21

-	0	((lights with color) and (monitor\$3 with eye) and compar\$3 and (control\$4 with signal) and (random with sequence)) and (light with emit)) and puls\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/16 14:21
-	0	((lights with color) and (monitor\$3 with eye) and compar\$3 and (control\$4 with signal) and (random with sequence)) and puls\$3) and blink	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/16 14:21
-	1	((lights with color) and (monitor\$3 with eye) and compar\$3 and (control\$4 with signal) and (random with sequence)) and puls\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/16 14:22
-	1	((lights with color) and (monitor\$3 with eye) and compar\$3 and (control\$4 with signal) and (random with sequence)) and (light with emit)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/16 15:32
-	0	((("4479112" "3587051" "3893073" "5928364").pn.) or GB-2075671-\$.did. or EP-863491-\$.did. or GB-2281838-\$.did.) and (user with response with sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 11:53
-	0	(optical with controler) and (lighth with transmit\$4) and (different with color) and (user with response with sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/18 18:24
-	1	(control with signal) and (light same emit\$4 same (different with color)) and (user with response) and (predefined with response)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/18 18:27
-	2	((optical with controller) and (lights with color) and (pulses with light) and processor and memory and compar\$3 and signal) and LED and wavelength and (light with sequence) and (user with enter\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 10:16
-	0	((user with enter\$3 with data with color\$3 with light) and (lights with color) and (pulses with light) and processor and memory and compar\$3 and signal) and LED and wavelength and (light with sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 10:18
-	0	((user with enter\$3 with data with color\$3 with light) and (lights with color) and (pulses with light) and processor and memory and compar\$3 and signal) and (light with sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 10:19
-	0	((user with enter\$3 with data with color\$3 with light) and (lights with color) and (pulses with light)) and (light with sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 10:20
-	3	(user with enter\$3 with data with color\$3 with light)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 10:24
-	0	(user with enter\$3 with (data or code)) same (color\$3 with light) same (differentt with color\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 10:27
-	0	(user with enter\$3 with (data or code)) same (color\$3 with light) same response same (different with color\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 12:39
-	5	(user with enter\$3 with (data or code)) same (color\$3 with light) same (different with color\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 16:02
-	5	((("4479112" "3587051" "3893073" "5928364").pn.) or GB-2075671-\$.did. or EP-863491-\$.did. or GB-2281838-\$.did.) and (user with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 12:01

-	2	((("4479112" "3587051" "3893073" "5928364").pn.) or GB-2075671-\$.did. or EP-863491-\$.did. or GB-2281838-\$.did.) and (user with data)) and response	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 15:16
-	2	((("4479112" "3587051" "3893073" "5928364").pn.) or GB-2075671-\$.did. or EP-863491-\$.did. or GB-2281838-\$.did.) and (comparator)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 14:27
-	675	(lights with (computer or processor or microcomputer or CPU)) and (lights with color) and (pulses with light) and memory and compar\$3 and signal	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 12:14
-	13	((lights with (computer or processor or microcomputer or CPU)) and (lights with color) and (pulses with light) and memory and compar\$3 and signal) and (light with transmit\$4 with different with color\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 12:17
-	2	((lights with (computer or processor or microcomputer or CPU)) and (lights with color) and (pulses with light) and memory and compar\$3 and signal) and (light with transmit\$4 with different with color\$2)) and (eyepiece or eye-piece)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 15:21
-	4	(user with enter\$3 with (data or code)) same (color\$3 with light) same response	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 12:41
-	1600	light with transmit\$4 with different with color\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 12:48
-	0	(light with transmit\$4 with different with color\$2) and (computer or processor or microcomputer or CPU) and (lights with color) and (pulses with light) and memory and (compar\$3 with circuit) and signal and (response with sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 12:51
-	2	(light with transmit\$4 with different with color\$2) and (computer or processor or microcomputer or CPU) and (lights with color) and (pulses with light) and memory and (compar\$3 with circuit) and signal	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 12:52
-	1	((("4479112" "3587051" "3893073" "5928364").pn.) or GB-2075671-\$.did. or EP-863491-\$.did. or GB-2281838-\$.did.) and (different with color\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 14:31
-	1	((("4479112" "3587051" "3893073" "5928364").pn.) or GB-2075671-\$.did. or EP-863491-\$.did. or GB-2281838-\$.did.) and optical and control\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 16:22
-	0	((("4479112" "3587051" "3893073" "5928364").pn.) or GB-2075671-\$.did. or EP-863491-\$.did. or GB-2281838-\$.did.) and sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 15:17
-	18	(lights with (couple or connect\$3) with (computer or processor or microcomputer or CPU)) and (lights with color) and (pulses with light) and memory and compar\$3 and signal and (eyepiece or eye-piece)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 15:23
-	17	(optical with controller) and (lights with color) and (pulses with light) and processor and memory and compar\$3 and signal and (light with sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 15:55
-	29	(optical with controller) and (lights with color) and (pulses with light) and (computer or processor or microcomputer or microprocessor or CPU) and memory and compar\$3 and signal and (light with sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 15:57

-	5	((optical with controller) and (lights with color) and (pulses with light) and (computer or processor or microcomputer or microprocessor or CPU) and memory and compar\$3 and signal and (light with sequence)) and (user with response)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 15:59
-	5	((optical with controller) and (lights with color) and (pulses with light) and (computer or processor or microcomputer or microprocessor or CPU) and memory and compar\$3 and signal and (light with sequence)) and (user with response)) and (different with color\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 16:02
-	4	((optical with controller) and (lights with color) and (pulses with light) and (computer or processor or microcomputer or microprocessor or CPU) and memory and compar\$3 and signal and (light with sequence)) and (user with response)) and (different with color\$3)) and sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 16:13
-	1	((("4479112" "3587051" "3893073" "5928364").pn.) or GB-2075671-\$.did. or EP-863491-\$.did. or GB-2281838-\$.did.) and (light with sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 17:20
-	0	((user with enter with data) same (light with response)) and (eyepiece or eye-piece)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 16:54
-	33	(user with enter\$3 with data) and (eyepiece or eye-piece)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 16:55
-	0	((user with enter\$3 with data) and (eyepiece or eye-piece)) and (lights with color) and (pulses with light) and (computer or processor or microcomputer or microprocessor or CPU) and memory and compar\$3 and signal and (light with sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 16:57
-	0	((user with enter\$3 with data) and (eyepiece or eye-piece)) and (lights with color) and (computer or processor or microcomputer or microprocessor or CPU) and memory and compar\$3 and signal and (light with sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 16:57
-	0	((user with enter\$3 with data) and (eyepiece or eye-piece)) and (lights with color\$2) and (computer or processor or microcomputer or microprocessor or CPU) and memory and compar\$3 and signal and (light with sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 16:57
-	0	((user with enter\$3 with data) and (eyepiece or eye-piece)) and (lights with color\$2) and (computer or processor or microcomputer or microprocessor or CPU) and memory and (light with sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 17:00
-	0	((user with enter\$3 with data) and (eyepiece or eye-piece)) and (light with color\$2) and (computer or processor or microcomputer or microprocessor or CPU) and memory and (light with sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 16:58
-	0	((user with enter\$3 with data) and (eyepiece or eye-piece)) and (computer or processor or microcomputer or microprocessor or CPU) and memory and (light with sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 16:59
-	33	((user with enter\$3 with data) and (eyepiece or eye-piece)) and (computer or processor or microcomputer or microprocessor or CPU)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 16:58

-	1	((user with enter\$3 with data) and (eyepiece or eye-piece)) and (computer or processor or microcomputer or microprocessor or CPU)) and (light with sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 16:59
-	81	(user with enter\$3 with data) and (lights with color\$2) and (computer or processor or microcomputer or microprocessor or CPU) and memory and (light with sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 17:04
-	58	((user with enter\$3 with data) and (lights with color\$2) and (computer or processor or microcomputer or microprocessor or CPU) and memory and (light with sequence)) and (plurality with lights)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 17:04
-	56	((user with enter\$3 with data) and (lights with color\$2) and (computer or processor or microcomputer or microprocessor or CPU) and memory and (light with sequence)) and (plurality with lights)) and compar\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 17:05
-	1	((user with enter\$3 with data) and (lights with color\$2) and (computer or processor or microcomputer or microprocessor or CPU) and memory and (light with sequence)) and (plurality with lights)) and compar\$4) and (response with sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 17:06
-	5	((user with enter\$3 with data) and (lights with color\$2) and (computer or processor or microcomputer or microprocessor or CPU) and memory and (light with sequence)) and (plurality with lights)) and compar\$4) and game	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 17:09
-	20	((user with enter\$3 with data) and (lights with color\$2) and (computer or processor or microcomputer or microprocessor or CPU) and memory and (light with sequence)) and (plurality with lights)) and compar\$4) and (optical with control\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 17:10
-	19	((user with enter\$3 with data) and (lights with color\$2) and (computer or processor or microcomputer or microprocessor or CPU) and memory and (light with sequence)) and (plurality with lights)) and compar\$4) and (optical with control\$4)) and LED	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 17:10
-	2	((user with enter\$3 with data) and (lights with color\$2) and (computer or processor or microcomputer or microprocessor or CPU) and memory and (light with sequence)) and (plurality with lights)) and compar\$4) and (optical with control\$4)) and LED) and register	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/19 17:10
-	0	(702/186 and (light with color\$2)) and (light with sequence)	USPAT; US-PGPUB	2003/06/19 17:17
-	1	702/186 and (light with sequence)	USPAT; US-PGPUB	2003/06/19 17:16
-	6	702/186 and (light with color\$2)	USPAT; US-PGPUB	2003/06/19 17:17
-	0	((("4479112" "3587051" "3893073" "5928364").pn.) or GB-2075671-\$.did. or EP-863491-\$.did. or GB-2281838-\$.did.) and (light with pulse)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/25 09:41
-	1	((("4479112" "3587051" "3893073" "5928364").pn.) and lights and pulse and (light with sequence) and color and memory and (processor or CPU or computer) and compar\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/25 10:45

-	215	lights same pulse\$2 same (light with sequence) same (processor or CPU or computer)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/25 10:14
-	8	(lights same pulse\$2 same (light with sequence) same (processor or CPU or computer)) and (different with color) and (different with wavelength)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/25 10:29
-	4	(lights same pulse\$2 same (light with sequence) same (processor or CPU or computer)) and (match with sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/25 10:46
-	0	((("4479112" "3587051" "3893073" "5928364").pn.) and sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/25 10:45
-	0	(lights same pulse\$2 same (light with sequence) same (processor or CPU or computer)) and (user with response with sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/25 10:47
-	20	(lights same pulse\$2 same (light with sequence) same (processor or CPU or computer)) and (response with sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/25 10:48
-	0	((lights same pulse\$2 same (light with sequence) same (processor or CPU or computer)) and (response with sensor)) and optical) and (optical with filter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/25 10:48
-	15	((lights same pulse\$2 same (light with sequence) same (processor or CPU or computer)) and (response with sensor)) and optical	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/25 10:49
-	5	(optical with controller) and (lights with color) and (power with switch) and (switch with vibration)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/25 15:00
-	2	(optical with controller) and (lights with color) and (power with switch with vibration)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/25 15:02
-	15	(optical with controller) and (power with switch with vibration)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/25 15:06
-	0	(optical with controller) and (power near5 switch near5 vibration)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/25 15:05
-	44	(optical with controller) and (lights same transmit\$4 same (different with color) same filter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/25 15:20
-	2	((optical with controller) and (lights same transmit\$4 same (different with color) same filter)) and (light near2 sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/25 15:18
-	34	(optical with controller) and (lights same transmit\$4 same (different with color)) and (optical near2 filter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/25 15:43
-	0	(optical with controller) and (lights same transmit\$4 same (different with color)) and (pressure with sensitive with switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/25 15:46
-	1	(optical with controller) and (lights with transmit\$4) and (different with color) and (pressure with sensitive with switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/25 16:01

-	0	(optical with controller) and (lights with sequence) and (different with color) and (pressure with sensitive with switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/25 16:03
-	0	(optical with controller) and (light with sequence) and (different with color) and (pressure with sensitive with switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/25 16:03
-	0	(optical with controller) and (light with sequence) and color and (pressure with sensitive with switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/25 16:04
-	1	(optical with controller) and (light with sequence) and (pressure with sensitive with switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/25 16:09